

μ



# UNI-COUPLING

## UNI-Coupling

- + UNI-Grip
- +  $\mu$   $\mu$   $\mu$
- +  $\mu$   $\mu$
- + 2  $\mu$   $\mu$
- + 1.4571 (W5)

## UNI-Plastgrip

- +  $\mu$
- +  $\mu$   $\mu$
- + 2  $\mu$
- + 1.4571 (W5)

## UNI-Combigrip

- +  $\mu$   $\mu$
- +  $\mu$   $\mu$
- + 1  $\mu$
- + 1  $\mu$
- + 1.4571 (W5)

$\mu$

## UNI-Flex

- +  $\mu$   $\mu$
- +  $\mu$   $\mu$   $\mu$
- +  $\mu$
- +  $\mu$   $\mu$
- + 1.4571 (W5)

## UNI-Rep

- +  $\mu$   $\mu$
- +  $\mu$   $\mu$   $\mu$
- +  $\mu$
- +  $\mu$   $\mu$
- + 1.4571 (W5)
- +  $\mu$   $\mu$
- +  $\mu$   $\mu$   $\mu$
- + 1.4571 (W5)

UNI-Grip



UNI-Plastgrip



UNI-Combigrip



UNI-Flex



UNI-Rep



With outlet



T	Ø			PN		PN	
		(mm)	(mm)				
 UNI-Grip		21 - 172	45 - 110	16		70 to 32	
		172 - 745	138 - 146	16 to 2.5		25 to 6	
 UNI-Plastgrip		39 - 172	60 - 110	10		16	
		172 - 640	140 - 146	10 to 2.5		16 to 6	
 UNI-Combigrip		39 - 172	60 - 110	10		16	
		172 - 640	140 - 146	10 to 2.5		16 to 6	
 UNI-Flex		21 - 172	45 - 110	16		25	
		172 - 2090	140 210 - 280 - 420 μ μ	16 to 2.5		25 to 6	
 UNI-Rep		33 - 172	60 - 110	16		25	
		172 - 2090	140 210 - 280 - 420	16 to 6		25 to 10	

	OD (mm)	$\mu$ $\mu$		
UNI-Coupling	21 - 47.5 47.5 - 172	7 15	standard W5 standard W5	to 5 mm thickness to 5 mm thickness
	$\mu$ $\mu$	$\mu$	$\mu$	$\mu$ /
UNI-Grip	X			
UNI-Plastgrip		X		
UNI-Combigrip			X	
UNI-Flex	X	X	X	$\mu$
UNI-Rep	X	X	X	$\mu$
$\mu$	EPDM	NBR	Viton ( )	Silicone ( )
$\mu$	-30 °C - +125 °C	-20 °C - +80 °C	-20 °C - +180 °C	
	$\mu$ , $\mu$ , $\mu$ ,	, , , $\mu$ ,	, , , , $\mu$ ( $\mu$ $\mu$ )	
	$\mu$			
W5	1.4571 / 316 Ti	1.4571 / 316 Ti	A4 – 80 / 316 Ti	1.4404 / 316 L & 1.4310 / 301

$\mu$ UNI-Flex & UNI-Rep 	$\mu$ $\varnothing$ (mm)	$\mu$ (mm)	$P_n$ 
UNI-Flex / UNI-Rep	250 - 2090	210	25
UNI-Flex / UNI-Rep	300 - 2090	280	25
UNI-Flex / UNI-Rep	300 - 2090	420	25



$\mu$	EPDM	NBR	Viton ( )	Silicone ( )
$\mu$	-30 °C - +125 °C	-20 °C - +80 °C	-20 °C - +180 °C	
	$\mu$ , $\mu$ , $\mu$ ,	, , , $\mu$ ,	, , $\mu$ ( $\mu$ $\mu$ )	
	$\mu$			
W5	1.4571 / 316 Ti	1.4571 / 316 Ti	A4 – 80 / 316 Ti	1.4404 / 316 L & 1.4310 / 301

# UNI-COUPLING

