

VAG

DUOJET 264

PN 10/16/25
DN 50...200



1.
2.

12266


-JS1030(GGG40)
EPDM

300μ

:50 C.
0.3 Bar




12266

DN	PN		μ	μ μ μ
mm	bar	bar		
200	10	10	50	15
50...200	16	16	50	24
50...200	25	25	50	37.5



mm								
DN			50	50	80	100	150	200
	d _s	DIN-ISO 228-1	G 1 1/4"	G 2"	G 2"	G 2 1/2"	G 4"	G 4"
	h ₁		280	340	340	380	510	510
	h ₂		240	282	282	317	423	423
	□S		160	185	185	205	260	260
	t		20	25	25	30	40	40
	kg =		15	25	25	28	56	75
	m ³ =		0.010	0.015	0.015	0.020	0.040	0.040
EN 1092-2	PN 10	μ	16					
		μ	8					
	PN 16	D	165	165	200	220	285	340
		k	125	125	160	180	240	295
	μ		4	4	8	8	8	12
		d ₂	18	18	18	18	22	22
	b		19	19	19	19	19	20
		PN 25	D	-	165	200	235	300
	k		-	125	160	190	250	310
	μ		-	4	8	8	8	12
d ₂		-	18	18	22	26	26	
b		-	19	19	19	20	22	

DN 50 - PN 16: d_s = G1 1/4"; DN 50 - PN 16: d₁ = G 2"



* BEV Automatic air valve DN 50/80